WATER SUPPLY

## 2014 MAY 29 AM 9: 2!

# MISSISSIPPI STATE DEPARTMENT OF HEALTH BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION CCR CERTIFICATION

Sweethome Water Supply Name  CCR CERTIFICATION  EALENDAR YEAR 2013  Public Water Supply Name	
Public Water Supply Name 240015	
List PWS ID #s for all Community Water Systems included in this CCR	
The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public wat system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. You must mail, fax email a copy of the CCR and Certification to MSDH. Please check all boxes that apply.	a er he or
Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)	
Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill) Email message (MUST Email the message to the address below) Other	,
Date(s) customers were informed: 5/15/14, / / , / /	
CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct deliver methods used News Paper	У
Date Mailed/Distributed: / /	
CCR was distributed by Email (MUST Email MSDH a copy)  As a URL (Provide URL  As an attachment  As text within the body of the email message	
CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)	
Name of Newspaper: Holmes Co. Henald	
Date Published: 5/15/14	
CCR was posted in public places. (Attach list of locations)  Date Posted:/	
CCR was posted on a publicly accessible internet site at the following address ( <b>DIRECT URL REQUIRED</b> ):	
hereby certify that the 2013 Consumer Confidence Report (CCR) has been distributed to the customers of this ublic water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.  Same/Title (President, Mayor, Owner, etc.)  Date	/ 1
eliver or send via U.S. Postal Service:  May be faxed to:  (601)576, 7800	

Bureau of Public Water Supply P.O. Box 1700

Jackson, MS 39215

(601)576-7800

May be emailed to: <u>Melanie, Yanklowski@msdh.state.ms.us</u>

2014 KAY 12 AM 9: 30

a Water our to

#### 2013 Annual Drinking Water Quality Report Sweethome Water & Sewer District PWS#: 0260015 May 2014

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Meridian Upper Wilcox Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Sweethome Water & Sewer District have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Colereginald Patton at 662.834.3674. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Monday of each month at 6:00 PM at 106 Westwood Avenue, Lexington, MS 39095

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2013. In cases where monitoring wasn't required in 2013, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS									
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination	
I.,	c Contar	ninants							
morgani									

14. Copper	N	2009/11*	.3	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2009/11*	3	1	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	on By	-Product	S					
81. HAA5	N	2012*	6	2-6	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2012*	7	1.25 - 7	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2013	.5	.48	Mg/I	0	MDRL = 4	Water additive used to control microbes

<sup>\*</sup> Most recent sample. No sample required for 2013.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Sweethome Water and Sewer District works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

FATER SUPPLE

### PROOF OF PUBLICATION 1014 NAY 29 AM 9: 21

### **HOLMES COUNTY HERALD**

LEXINGTON, MISSISSIPPI

### STATE OF MISSISSIPPI, HOLMES COUNTY

Personally appeared before me, the undersigned authority, Chancery Clerk of said County and State, Bruce Hill, publisher of a public newspaper called the Holmes County Herald established in 1959 and published continuously since that date in said County and State, who, being duly sworn, deposed and said that the notice, of which a true copy is hereto annexed, was published in said paper for \_\_\_\_\_\_\_ times, as follows, to wit:

				•	Vater & Si S#: 02600 //ay 2014	ewer Dis 15	trict	
We're pleased and services o want you to u are committed	d to prese we delive nderstand I to ensur	ent to you the to you eve d the efforts ing the qua	us year's A ny day. Ou i we make lity of your	nnual Quality Wa constant goal is to continually imp water, Our water s	ier Report to provide rove the w laurce is fr	This repo you with a after freat ont wells	ort is design s sale and c ment proce drawing fro	ed to inform you about the quality water dependable supply of drinking water. W ass and protect our water resources. W in the Meridian Upper Wilcox Aquifer
The source w water supply	ator assu to identif	issment has Sed potenti ade has be	s been con al sources en fumisho	24.2.2	blic water A report	system to	o determine ng detailed	the overall susceptibility of its drinking information on how the susceptibility
								fereginald Patton at 652 534 3674. We please attend any of our regular rood Avenue, Lexington, MS 39095.
of animals or functions of approxystems or resembly or resemble uses animals are naturally acceptable presemble that it has table your owded the follower to t	rom huma agriculto escit from ides and a organic l petroleur curring or a regulation of drinking the press will find flowing de	in activity is a straight activity in a straight activities a chemical of the residual formation and the residual formation and the residual formation and the residual formations.	nicrobial of k operation m-water ni which mi contaminant, and car of oil an it the amou y be reaso e constitue s end abbre	infaminants, such is, and wildate, in notf, industrial, of ty come from a its, including synit also come from digas production in of certain cont analy expected to nits does not necessariations you migh	as viruses organic cor r domestic ranety of s refic and w gas station and maning aminants in contain as researity indi-	and bact terminant mastewa ources so platife org is and se activities i water pr seaset smi cate that near with	eria that mass such as a such as a agri anic chemia nic chemia in order i ovided by a ali amounts the water p	lava. This table below less all of the 31° 2013. In cases where involving in 31° 2013. In cases where involving in 31° 2013. In cases were involved in 31° 2013. In case were a 43° 2013. In case were 43° 2013. In case 43° 2013. In ca
coas (clades)	10.2534							the level of a contaminant in drinking
erce i								
aler MCLs a	e set as c	lose to the	MCLGs as	feasible using the	MCL) is in best avail	e nignest able (reat	nevel of a c ment techn	contaminant that is allowed in drinking ology.
laximum Cont nown or expec	aminant L ted risk to	evel Gost (i health: Mi	MCLG) - Ti	ne "Goal"(MCLG) for a margin of s	is the lavel	of a com	aminant in	drinking water below which there is no
axmum Resi	duat Disin	fectant Los	el (MRDL)	The highest b	evel of a d	sinfectar	d allowed in	n drinking water. There is convincing
			0.00	and to count of the	TODIAL COL	anusanta		
fa <i>rimum Resi</i> i xpected risk of	funt Disiru health N	fectant Lev IROLGs do	el Goal (M	ROLG) — The lev	el of a drin	king wate	er disinfecta	int below which there is no known or microbial contaminants.
		sea a		TOTACION E				
				16511	RESUL	TS		
Contaminant	Violation Y/N	Date Collected	Leve! Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	TS   MCLG	MCL	Likely Source of Contemination
	AW	Collected	Defected	Range of Detects or # of Samples Exceeding MCE/ACL	CESUL Unit Measure overs		MCL	Exery Source of Centerrotation
norganic	AW	Collected	Defected	Range of Detect of # of Samples Exceeding 60CL/ACL	CESUL Unit Measure over!		2	Livery Source of Contemporation  Descripting of drawing wasters, discharge, from preparations, discharge, from preparations, discharge, and pulsars, descriptions, and pulsars, descriptions, and pulsars, descriptions, and
Inorganic 9 Secon	Conta	Collected minants	Detected	Range of Detects of # of Samples Exceeding MCE/ACL	Und Measure -orest	MCLG	2	Discharge of chorny greater, discharge from regist retrieves, criscos of natural debosis
inorganic 9. 8886an	Conta	Collected minants	Defectación Defect	Rango of Detects of # of Samples Exceeding MCL/ACL	Unit Measure -orest	MCLG	2 ALir1,3 ALir15	Discharge of drawing washes, discharge from retiral professes, crassions of natural discretists.  Corrosion of household prumbing statistics from young professes, crassions of natural discretists.  Corrosion of the professes of
Inorganic Q. Secon 4. Copper 7. Load	Contai	Collected  minants  2012*  2009/11*  2009/11*	Ociectad  CG2	Rango of Detects of # of Samples Exceeding MCL/ACL	ppm  ppm	MCLG.	2 ALir1,3 ALir15	Discrimingly of choloning walkins, discrimingly, from receival intervenies, analysis of national decisions.  Contrasting of household primiting with the contrasting of the contrasting of making allocations of making allocations of making allocations presentatives.
inorganie 9 Sector 1 Copper 7 Leas Disinfectio	Contai	Collected  minants  2012*  2009/11*  2009/11*	Ociectad  CG2	Rango of Detects of # of Samples Exceeding MCL/ACL	ppm  ppm	MCLG.	2 AL#13 AL#15	Discharge of sharing washes, discharge from replai rethernes, crosson of natural desorbits.  Corrosion of household plumbling systems, erosion of natural desorbits.  Corrosion of household plumbling systems, erosion of natural desorbits.  Security flow, record orientatives of presentatives of p
norganic  0. Berson  1. Copper  7. Lead  Disinfection 1. HAAS	Contai	Collected minants 2012* 2009/11* 2009/11*	Defected  Code  Section 1.052	Range of Deleter of the Sample of Deleter of t	pom pom pobs	MCLG	2 AL#13 AL#15	Discharge of streng analysis, sportages from registal enteresses, crisisons of natural designation of natural designations of natural design
Inorganic  9. Seson  4. Copper  7. Land  Disinfection  1. HAAS  2. THAA  old hapmethames;	Contai	Collected  minants  2012*  2009/11*  2009/11*  'roducts 2012*	Defected  Code  Section 1.052	Range of Delege of which services and of Services Exceeding SICLIAGE	Popts  Dob  Dob  Dob	3 1.3 0 0 0 0	2 AL#13 AL#15	Descharge of change graphes, discharge from reptal problemes, crosson of natural describes.  Corrosion of household plumbing systems, organic of natural describes.  Corrosion of household plumbing systems, organic of natural describes, proceeding the company of the corrosion of teachers is automating systems, erosion of natural desposes.  By-Product of discharge water discharge control of the
Inorganic 9. Becom 4. Copper	Confau	Collected  minants  2012*  2009/11*  2009/11*  Products  2012*	Defected  Code  Section 1.052	Range of Defects of 4 of Samples Exceeding MCLAGE  014 - 002  1  2-6	ppm ppb	#ICLG	2   AL#13   AL#15	Decision of divining washes, discharge from reliably anticenses, areas of natural decisions.  Corpositor of Polyagening Symmetric Systems, cross of natural expenses, areas of natural expenses, areas of natural expenses, reliably from twood preservatives.  Corpositor of reliably from twood preservatives.  Corposition of reliably and produces are all the control of the corposition of the corp
Inorganic  9. Seson  4. Copper  7. Land  Disinfection  1. HAAS  2. THAA  old hapmethames;	Contai	Collected   Collected   Collected   2012*   2009/41*   2009/41*   2012*   2012*   2013*   20	C62   3   3   3   6   7   5	Range of Defects of 4 of Samples Exceeding MCLAGE  014 - 002  1  2-6	Popts  Dob  Dob  Dob	3 1.3 0 0 0 0	2 AL#13 AL#15	Displicancy of dinerry displays, displicancy from retails into meeting displays, displicancy from retails into meeting, displicancy of individual decession.  Correspond for the retail of individual depositions of individual depositions, displaying correspond of individual depositions, displaying from wood preservatives.  Correspond for the product of individual depositions of individual depositions of individual depositions, according from wood preservatives.  By Product of clinicing waster displaying the product of defensing waster displaying the product of defensions.
Inorganic 9. Beson 4 Copper 7 Used Disinfectio 1 HAAS Out hardwares hardwares tout recent sum fort recent sum fort recent sum	Contai	Collected  minants  2012*  2009/11*  2009/11*  2009/11*  2012*  2012*  2013  We required	Oriectes	Fange of Debot of a for Sample of The Sample of Sample o	Unit Message profit of the point of the poin	##CLG	2 AL=13 AL=15 60 80 MORL = 4	Declared of dreining weather, discharing from retiral artificiones, and/son of national form retiral artificiones, and/son of national decisions.  Compassion of this question of national retiral artificiones, and artificiones artificiones artificiones decisions of national returnations.  Compassion of this production of national decisions are artificiones artificione
Inorganic 9. Beson 4 Copper 7 Used Disinfectio 1 HAAS Out hardwares hardwares tout recent sum fort recent sum fort recent sum	Contai	Collected  minants  2012*  2009/11*  2009/11*  2009/11*  2012*  2012*  2013  We required	Oriectes	Fange of Debot of a for Sample of The Sample of Sample o	Unit Message profit of the point of the poin	##CLG	2 AL=13 AL=15 60 80 MORL = 4	Declared of dreining weather, discharing from retiral artificiones, and/son of national form retiral artificiones, and/son of national decisions.  Compassion of this question of national retiral artificiones, and artificiones artificiones artificiones decisions of national returnations.  Compassion of this production of national decisions are artificiones artificione
Inorganic  O Beson  4 Copper  4 Copper  7 Lead  Sisinfectio  1 HAAS  2 Title  hadrenaes  hooline  are required  care of whell  pling that she  care of whell  pling that she  care of whell	Confail  N  N  N  N  N  N  N  N  N  N  N  N  N	Collected  minants  2012*  2009/11*  2009/11*  Products  2012*  2013*  of required  of triking sistorin presiples prior to	Oriectess  CG2  3  3  6  7  Section 1999  Se	Farge of Debot   Farge of Debot   Farge of Debot   Farge   F	ppn  ppn  ppb  ppb  ppb  ppb  ppb  ppb	LICE G  2  13  0  0  0  0  0  complete as	AL=15  AL=15  CO SO MORL * 4  Mile monitorial monitorial monitorial monitorial	Declarage of drawing weather, discharge from registal articlesies, and soon of natural decrease.  Company of they were decreased promoting agreement of the soon o
Inorganic  O Beson  4 Copper  4 Copper  7 Lead  Sisinfectio  1 HAAS  2 Title  hadrenaes  hooline  are required  care of whell  pling that she  care of whell  pling that she  care of whell	Confail  N  N  N  N  N  N  N  N  N  N  N  N  N	Collected  minants  2012*  2009/11*  2009/11*  Products  2012*  2013*  of required  of triking sistorin presiples prior to	Oriectess  CG2  3  3  6  7  Section 1999  Se	Farge of Debot   Farge of Debot   Farge of Debot   Farge   F	ppn  ppn  ppb  ppb  ppb  ppb  ppb  ppb	LICIG S  2  13  0  0  0  0  0  complete sompletes	AL=15  AL=15  CO SO MORL * 4  Mile monitorial monitorial monitorial monitorial	Declarage of drawing weather, discharge from registal articlesies, and soon of natural decrease.  Company of they were decreased promoting agreement of the soon o
Inorganic  O Beson  4 Copper  4 Copper  7 Lead  Sisinfectio  1 HAAS  2 Title  hadrenaes  hooline  are required  care of whell  pling that she  care of whell  pling that she  care of whell	Confail  N  N  N  N  N  N  N  N  N  N  N  N  N	Collected  minants  2012*  2009/11*  2009/11*  Products  2012*  2013*  of required  of triking sistorin presiples prior to	Oriectess  CG2  3  3  6  7  Section 1999  Se	Farge of Debot   Farge of Debot   Farge of Debot   Farge   F	ppn  ppn  ppb  ppb  ppb  ppb  ppb  ppb	LICIG S  2  13  0  0  0  0  0  complete sompletes	AL=15  AL=15  CO SO MORL * 4  Mile monitorial monitorial monitorial	Declarage of drawing weather, discharge from registal articlesies, and soon of natural decrease.  Company of they were decreased promoting agreement of the soon o
Inorganic  9. Seson  4. Copper  7. Lead  Disinfectio  1. HAAS  THAM  harmeninawas)  house  are required  carer of water  thems of any measure  measure, always  king water is good  resent, always  king water is possible for pr  water has be water  water has be used.	Confat  N  N  N  N  N  N  N  N  N  N  N  N  N	Disease of Constant of Constan	Critical State Control of the Contro	Farge of Delection of the State of Stat	ppin ppin ppin ppin ppin ppin ppin ppin	MCIG  2  13  0  0  0  0  cially for revice linearity of a read of	AL=15  AL=15  CO SO MORL * 4  Mile monitorial monitorial monitorial	Declarage of drawing weather, discharge from registal articlesies, and soon of natural decrease.  Company of they were decreased promoting agreement of the soon o
Inorganic  O. Berton  4 Copper  7 Lead  1 HAAS  2 Tritità out hardorethaues) home  1 ser required cater of whelle pinging leas the temporary services are required cater of whelle pinging least the temporary services are required cater of whelle pinging least she temporary services to services	VN N N N N N N N N N N N N N N N N N N	minants 2012* 2009/11* 2009/11* 2009/11* 2009/11* 2009/11* 2009/11* 2012* 2013 2013 2014 2013 2015 2016 2017 2017 2017 2017 2017 2017 2017 2017	Consession of the consession o	Farge of Delection of the State of Stat	poin poin poin poin poin poin poin poin	MCLG  2  1.3  0  0  0  0  0  0  1.3  complete a recipility for revice fines array of a relate we used and used array of a relate with the position of the posi	AL=13  AL=15  600  800  6MDRL = 4  Mark the monitoring and formation and analysis of the monitoring and formation and analysis of the monitoring and formation and formati	Declared of dreining weather, discharing from retiral artificiones, and/son of national form retiral artificiones, and/son of national decisions.  Compassion of this question of national retiral artificiones, and artificiones artificiones artificiones decisions of national returnations.  Compassion of this production of national decisions are artificiones artificione

	VOI	<u>///</u> , No	$\mathcal{C}$	me	
	day of _	MAY		···	, 2014
	Vol.	, No	100	_ the	
	day of _				, 2014
	Vol	, No		_ the	
	day of _	·····		70074	, 2014
	Vol	, No		_ the	
	day of _				, 2014
	Vol	, No		_the	
	day of _		***************************************		, 2014
APPROPRIES	19080000	Bri	me/fi	el	
MCER	Y C/Publi	sher			
Vitness on h	and Rand	eal at l	Lexington,	Mississip	oi this
ne 15	ayıldı 🗎	may			_ 2014.
Denvy		XP. O. TT		_Chancer	y Clerk
y Chan		Luckett			D.C.
4/2 Words	N. J. W.	times	Amount	\$ <u>114</u> ,	75